

## APD 250 A

Aksa  
Aksa  
P 602

AKSA POWER DIESEL



ISO8528

GC ) &amp;-

SZUTEST

GC - \$\$%

CE

2000/14/EC

&amp;\$\$\$\$%#

ž) \$' Ž'\$ž 'D:

					Amp
400/230	250,00	200,00	230,00	184,00	332,00

fPGDE

GC ) &amp;

, ) &amp; ž

fDF DŁ

%\$I

GC '\$(\*"

ž&amp;(

GC

## Standard Specifications

ž

fl ! ž

ž &lt;

i

P

ALTERNATOR

P

P



TRANSFER SWITCH



## APD 250 A

Aksa  
Aksa  
P 602

AKSA POWER DIESEL

Manufacturer	Aksa
Model	A6CRX98TI
	% \$\$ "# "
	&&\$2\$ " "
	(&- ) \$< DQ
L	9,720
"	126 x 130
	16,5:1
fl # Hz	"# "
fl "Hz	L
	24,00
	L
	54,00
AbsorbedAirDischargeReSourceKey.Text	' # "
fl '# "Hz	' # "
	14,60
	' # "
	265,00
	' # "
	40,00
	24 V d.c.
	Load
	%\$#!
	# "
	51,90

Aksa	
AK4184	
Hz	50
"	230,00
7 cg	0,80
	3
fl Hz	400/230
A	331,00

		fl "Hz	"	fl "Hz	"
APD 250 A	2645,00	2900,00	1400,00	2050,00	525,00
		fl "Hz	"	fl "Hz	"
APD 250 A	3380,00	3900	1460	2170	525

## APD 250 A

Aksa  
Aksa  
P 602

AKSA POWER DIESEL

- D \* \$ & !



- |   |                            |
|---|----------------------------|
| 1 | A U]b'gjhj g'X]gd'Um'      |
| 2 | 8]gd'UmgWc``Vi hcb"        |
| 3 | DU[Yf]bZfa UhcbLVi hcb"    |
| 4 | 7ca a cb'U'Ufa 'jbX]Wlhcf" |
| 5 | Ghjh g@98fj"               |
| 6 | CdYfUhjcb'gYYWb[ 'Vi hcbg" |

- 8G9ža cXY\*\*\$&\$'5i hc'A U]bg: U]i fY'Wblfc`a cXi 'Y"  
 6UhYfmVUf[ Yf' ]bdi h%, !\*( j c'hžci hdi h''&+ž' J ) '5 f&( U Ecf% ž 'J c'h) 5 fV&J ž  
 9a Yf[ YbWnghd'di g\ 'Vi hcb'UbX' Z gYg'Zf'Wblfc'WfW ]rg"

- 7 ca dcB'Ybhg]bghU'YX' ]b'g\YYhgH'Y'YbWcgj fY'"D\cgd\UH'WYa ]W'ždfY!WtUhj[ 'cZgH'Y' dfcj ]XYg'Wtffcg]cb  
 fYg]gjhUbhgi fZUW" Dc'nYgH'f'Wt a dgcjH' dck XYf'hdWtUhZfa g'\ ][ \ [ 'cgg'UbX'Yl hYa Y'mXi fUVY'Zb]g\ " @cW\_UVY  
 UbX' \ ]b[ YX'dUbY' Xccf'dfcj ]XYg'YUgmUWVgg'hc' 'Wt a dcB'Ybhg"

- '7cblfc' dUbY' ]g a ci bH'Y'cb'VUgYZfUa Y'k ]h'gH'Y'gjhUbX" @cWUH'X'UhH'Y'f][ \ hg]XY'cZH'Y' [ YbYfUhcf'gYhfK' \ Yb'mci  
 'cc\_ UhH'Y'; Yb"GYH'Zca '5'WfbUhcfL

- H'Y' 8G9\* \$&\$' ]g'U'gjhUbXUfX'Wblfc`a cXi 'Y'Zf'ci f[ YbYfUhcf'gYhg' i d'hc' &\$\$\_J 5'UbX'ih\Uj Y'VYYb'XYg][ bYX'hc  
 ghUfhUbX'ghcd'X]YgY'UbX' ]Ug[ YbYfUhcf'gYhg" H'Y' 8G9\* \$&\$' a cXi 'Y' \ Ug'VYYb'XYg][ bYX'hc' a cb]hcf[ YbYfUhcf  
 ZfYi YbWzj' c'h'WffYbhž'Yb[ ]bY'c] dfYggi fY'Z'Wt'UbhHya dYfUk fY'fi bb]b[ \ ci fg'UbX'VUH'Yfmj c'hg" A cXi 'Y  
 a cb]hcf'g'Y' a U]bg'gi dd'mUbX'gk ]W' c] Yf'hc' h'Y' [ YbYfUhcf'k \ Yb'hc'Y'a U]bg'dck Yf'Z]g" H'Y' 8G9\* \$&\$' U'g  
 ]bX]WUH'Y' cdYfUhjcbU'gjh g'UbX'ZU' h'Wt'bX]hcbg'5i hca UH'W' mg' i h'lb[ 'Xck b'hc'Y'; Yb"GYhUbX' [ ] ]b[ 'h'f' Y'Zfghi d  
 ZU' h'Wt'bX]hcb'cZ; Yb"GYhZ]i fY" H'Y' @7 8' X]gd'Um]bX]WUH'Y' h'Y' ZU' h'

A ]WcdfcWggcf'Wblfc`YX"  
 @7 8' X]gd'Uma U'Yg]bZfa Uhcb'YUgmhc'fYUX"  
 (!]bYz\*( 1 % & d] Y'X]gd'Um'  
 5i hca UhW'mifUbzYfg VY'k Y'Yb' a U]bg' fI h'ht'UbX' [ YbYfUhcf'dck Yf'  
 A Ubi U'dfc[ fua a ]b[ cb'ZcbhdUbY"  
 I gYf'Z]YbX'migYHi d'UbX'Vi hcb'Umci H  
 : fcbhdUbY'dfc[ fua a ]b[ "  
 F Ya cH'gjhUH'  
 9j Ybh'c[ ]b[ 'fV\$kg'ck ]b[ 'XUH'UbX'ha Y"  
 7 cblfc'g' Ghcd# YgYh'zA Ubi U'z5i h'zHYgh'GhUfz'Vi hcbg" 5b'UXX]hcbU'di g\ 'Vi hcb'bYi h'c' h'Y' @7 8' X]gd'Um]g  
 i gYX'hc'g'Wc' h'fc' [ \ h'Y'a cXi 'Ygfa YH'f]b[ 'X]gd'Um'

## APD 250 A

Aksa  
Aksa  
P 602

AKSA POWER DIESEL

9B; -B9  
 9b[ ]bY'gdYYX"  
 C]`dfYggi fy"  
 7cc'UbhH'a dYfUh fy"  
 F i b hja Y"  
 6UH'Yfmj c'hg"  
 7cbZ] i fUV'Y hja ]b[ "  
 ; 9B 9F 5HCF  
 J c'U[ Y ffe@ @B L'  
 7 i ffYbhf@%&@ L'  
 : fYe i YbWm  
 A 5-BG  
 J c'U[ Y ffe@ @B L'  
 : fYe i YbWm  
 A Ujb g'fYUXm"  
 A Ujb g'YbUV'YX"  
 ; Yb"GYhfyUXm"  
 ; Yb"GYhYbUV'YX"

K 5F B-B;  
 7 \Uf[ Y ZU]i fy"  
 6UH'Yfm@ck #][ \j c'U[ Y"  
 : U]`h`ghcd"  
 @ck #][ \ [ YbYfUhcfj c'U[ Y"  
 I bXYf@cj Yf[ YbYfUhcf ZYei YbWm"  
 Cj Yf# bXYf gdYYX"  
 @ck c]`dfYggi fy"  
 < ] \ Wc'UbhH'a dYfUh fy"  
 G< I H'8CK BG  
 : U]`h`ghcd"  
 9a Yf[ YbWmghcd"  
 @ck c]`dfYggi fy"  
 < ] \ Wc'UbhH'a dYfUh fy"  
 Cj Yf# bXYf gdYYX"  
 I bXYf@cj Yf[ YbYfUhcf ZYei YbWm"  
 I bXYf@cj Yf[ YbYfUhcfj c'U[ Y"  
 C]`dfYggi fy'gYbgcf cdYb"  
 7cc'UbhH'a dYfUh fy'gYbgcf cdYb"  
 9@97 HF -7@HF -D  
 ; YbYfUhcfj YfW ffYbh

: 'YI JVY gYbgcf WbVY Wtbhfc`YX k ]h h'a dYfUh fyž  
 dfYggi fyŽdYfWbH[ Y fik Ufb]b[ #g i h'ck b#Y'YMF]W'lf]dL  
 @cW'gYH]b[ dUFuJa YHfg UbX a cb]hcf]b[ Zca D7 h'c  
 Wtbhfc` a cXi Y'k ]h'1 G6 WbbYMFcb'fba Ul '\*' a h'

9YWJW'GUZYhm#9A 7 Wta dUH]V]Jm6G'9B '\*\$- ) \$  
 9YWJW'Vi gjBYgg'Ye i ]da YbH'  
 6G 9B '\*%\$!\*& 9A 7 ja a i b]hmgUbXufX"  
 6G 9B '\*%\$!\*( 9A 7 Ya ]gg]cb gUbXufX"

'6UH'YfmWUf[ Yf]g'a Ubi ZWm fyX k ]h gk ]Wm]b[ !a cXY'UbX'GA 8 H'VWbc'c[ mUbX'ih\Ug\][ \YZW]bYWM'6UH'YfmWUf[ Yf  
 a cXY'gfici hdi hJ !=WUfUWfghWgj YfmWcgY h'c'gei UfY'UbX'ci hdi h]g) ua dYfZ% ž J Zcf%&j c'hUbX +&Z J Zcf& J  
 #bdi h%, !&\* ( j c'h57" Dfc]bY'& (\$) '\Ug'Z `mc i hdi hg\chWfW]hdfchW]cb'UbX'ihWb'VY i gYX'Ug'W ffYbhgc fW"  
 Dfc]bY'&(\$) #(& (\$) WUf[ Yf'Ug\][ \YZW]bWz'cb[ Z]Z'ck ZU]i fy fUAYZ][ \hk Y][ \hUbX'ck 'YUhfxU]hYX]b  
 UWfXUbW'k ]h'']bYUf'U'YfbUhj Yg" H'Y WUf[ Yf]g ZH'YX k ]h' U'dfchW]cb[X]cXY'UWcggy h'Y ci hdi h'7 cbbYWMWUf[ Y ZU]  
 fY'UmW] VYH YYb dcg]hj Y'ci hdi hUbX'7: ci hdi h'YH'YmUFY Ye i ]ddYX k ]h' F: =ZHYf'hc fYXi W'Y'YMF]W'bc]gY fUX]hYX  
 Zca h'YXYj ]W"; Uj Ub]W'm]gc'UW'X]bdi hUbX'ci hdi h]m]W'm( \_Zcf\][ \fy]UV]Jm'

## APD 250 A

Aksa  
Aksa  
P 602

AKSA POWER DIESEL



- 1 Steel structures.
- 2 Emergency stop push button.
- 3 Control panel is mounted on the baseframe . Located at the right side of the generator set (When you look at the Gen.Set. from Alternator)
- 4 Oil could be drained via valve and a hose
- 5 Exhaust system in the canopy.
- 6 special large access doors (marine type) for easy maintanance
- 7 Base frame -fuel tank.
- 8 Lifting points similar to ISO container , located on each top corner of the canopy.
- 9 Sound proofing materials.

1

Weight	"	1460
Length	"	3900
Width	"	2170
Height	"	525