

# AD 630

Doosan  
Mecc Alte  
D+ &



ISO8528

GC, ) &

SZUTEST

GC - \$\$\$

CE

2000/14/EC

&\$\$\$#( #

z) \$' z' \$z' D:

	"	kw	"	kw	Amp
400/230	630,00	504,00	575,00	460,00	830,00

fP GDE

GC, ) &

,) & z

fDF DE

%\$!

%

%&

GC" \$(\*\*

z&(

GC

## Standard Specifications

z

fl

E

z

z

## ALTERNATOR

D; A Ž 5J F

## TRANSFER SWITCH

# AD 630

Doosan  
Mecc Alte  
D+' &'

Manufacturer	Doosan		
Model	DP180LA		
		552,00 kw [740,00HP]	
	L	18,273	
	"	128 x 142	
		15,0:1	
fl # ȷ	"# "	1500	
fl ȷ	L	34,00	
	L	112,20	
AbsorbedAirDischargeReSourceKey.Text	' # "	33,20	
fl ' # ȷ	' # "	700,00	
	' # "	106,00	
	° C	562,00	
		24 V d.c.	
	Load	%\$i	'+)
	# "	) \$i	
		123,60	94,20 64,80


	Mecc Alte		
	ECO 40-1,5L/4		
	Hz	50	
	"	620,00	
7cg'		0,80	
		3	
fl ȷ		400/230	
	A	894,90	

		fl ȷ		fl ȷ	
		"	"	"	L
AD 630		3264,00	1550,00	2056,00	850,00
		fl ȷ		fl ȷ	
		"	"	"	L
MS 80	4835	4810	1606	2615	850

# AD 630

Doosan  
Mecc Alte  
D+' &'

## 1 D+' &'



## 2

8G9ž +' &\$ž ) 5ž&&\$#(\$

## 3

## 4

## 5

8G9+' &\$ž &&\$' ž ž

8G9+' &\$ž 8G9+' &\$ž

ž

% &1 \*('

žFG&' &žFG(,) ž

ž

# AD 630

Doosan  
Mecc Alte  
D+ &

f@z@Bl  
f@z@Bl

"z" "z"

f@z@Bl

971

#

#

#

#

#

6G'9B\*\*\$-)\$

6G'9B\*\*%\$\$\$!\*!&

6G'9B\*\*%\$\$\$!\*!(

f&%) +L

f&)(, L

f&% \$L

GA 8

!&+""

%, !&\*(

&(\$)

ž

ž

ž

# AD 630

Doosan  
Mecc Alte  
D+ &



- 1 Steel structures.
- 2 Emergency stop push button.
- 3 Control panel is mounted on the baseframe . Located at the right side of the generator set.
- 4 Corrosion-resistant locks and hinges.
- 5 oil could be drained via valve and a hose
- 6 Exhaust system in the canopy.
- 7 special large access doors for easy maintenance
- 8 in front and back side special large access doors for easy maintenance
- 9 Base frame -fuel tank.
- 10 Lifting points similar to ISO container , located on each top corner of the canopy
- 11 the canopy provides easy access to radiator cap.
- 12 sound proofing materials
- 13 Plastic air intake pockets.

	"	1606
fl "L	"	4810
fl "L	"	2615
	L	850