

## AJD 132

John Deere  
Mecc Alte  
P 602**ISO8528**

GC ) &amp;-

**SZUTEST**

GC - \$\$%

**CE****2000/14/EC**

&amp;\$\$\$#%/#

400/230	132,00	105,00	120,00	96,00	Amp

**Standard Specifications****ALTERNATOR****TRANSFER SWITCH**

## AJD 132

John Deere  
Mecc Alte  
P 602

Manufacturer		John Deere
Model		6068 T
	% \$# " "	
	%&%\$# " "	
	0% &%\$< DQ	
	L	6,800
	"	106 X127
		17:1
fl # %	"# "	1500
fl %	L	17,00
	L	35,00
AbsorbedAirDischargeReSourceKey.Text	' # "	7,00
fl ' # "%	' # "	159,00
	' # "	18,60
	° C	584,00
		12 V d.c.
	Load	%\$#I
	# "	+I
		) \$I
	26,70	20,20
		14,00

		Mecc Alte
		ECP 34-1L/4
	Hz	50
	"	130,00
7 cg		0,80
		3
fl %		400/230
	A	187,00

		fl %	fl %	fl %	fl %
AJD 132	1440,00	2300,00	1150,00	1504,00	380,00
	"	"	"	"	L
AK 50	1860	3400	1217	1938	380

## AJD 132

John Deere  
Mecc Alte  
P 602

D \* \$ &amp; !



- 1 A U]b'gjh g[X]gd'Um"
- 2 8]gd'UmgWc``Vi hcb"
- 3 DU[Yf]bZfa UhcbLVi hcb"
- 4 7ca a cb'U'Ufa ]bX]Wlhcf"
- 5 Gjh g@98fj"
- 6 CdYfUh]cb'gYYW]b[ Vi hcbg"

8G9ža cXY\*\*\$&\$'5i hc'A U]bg: U]i fY'Wblfc`a cXi 'Y"  
6UHfYfmVXUf[ Yf' ]bdi h%, !\*( j c'hžci hdi h''&+ž' J ) '5 f&( U Ecf% ž U c'h) 5 fV&J ž  
9a Yf[ YbWngbcd'di g\ Vi hcb'UbX Z gYg'Zf'Wblfc'WfW]rg"

7 ca dcB Ybkg]bghU'YX]b'g\YYhgH'Y'YbWcgj fY'D\cgd\UH'WYa ]W'ždfY!WtUh]b[ cZgH'Y'dfcj ]XYg Wffcg]cb  
fYg]gjhUbhgj fZUW'Dc'nYgH'f'Wta dgcjH'dck XYf'hdcdUhZfa g\][ \ [ 'cgg'UbX'Yl'Yya Y'mXi fUVY'Zb]g\ "@cW\_UV'Y  
UbX'\]b[ YX'dUbY'Xccf'dfcj ]XYg'YUgmUWVgg'hc'Wta dcB Ybhg"

'7 cblfc`dUbY' ]g a ci bH'Y'cb'VUgYZfUa Y'k ]h'gH'Y'gjhUbX" @cWUH'X'UhH'Y'f][ \ hg]XY'cZH'Y' [ YbYfUhcf'gYhfK \ Yb'mci  
'cc'\_UhH'Y'; Yb"GYH'Zca '5'YfbUhcfL

H'Y'8G9\*\*\$&\$'jg'U'gjhUbXUfX'Wblfc`a cXi 'Y'Zf'ci f[ YbYfUhcf'gYhg'j d'hc'&\$\$\_J 5'UbX'ih\Ug'VYYb'XYg][ bYX'hc  
gjhUhUbX'ghcd'X]YgY'UbX' ]Ug'[ YbYfUhcf'gYhg'j H'Y'8G9\*\*\$&\$'a cXi 'Y'\Ug'VYYb'XYg][ bYX'hc'a cb]hcf[ YbYfUhcf  
ZfYei YbWzj c'h'WffYbhžYb[ ]bY'c] dfYggi fY'Z'Wc'UbhH'ya dYfUk fY'fi bb]b[ \ci fg'UbX'VUH'Yfmj c'hg'A cXi 'Y  
a cb]hcf'k'Y'a U]bg'gi dd'mUbX'gk ]W'c]Yf'hc'k'Y' [ YbYfUhcf'k'Yb'k'Y'a U]bg'dck Yf'Z]g'"H'Y'8G9\*\*\$&\$'U'g  
]bX]WUH'Y'cdYfUhcbU'gjh g'UbX'ZU' h'WbX]hcbg'5i hca UH'W'mg'Vi hib[ Xck'b'k'Y'; Yb"GYhUbX' [ ]]b[ 'f'Y'Zfghi d  
ZU' h'WbX]hcb'cZ; Yb"GYhZ]i fY'H'Y'@7 8'X]gd'Um]bX]WUH'Y'k'Y'ZU' h'

A ]WcdfcWggcf'Wblfc`YX"  
@7 8'X]gd'Uma U'Yg]bZfa Uhcb'YUgmhc'fYUX"  
(!)bYz\*( ! % & d]j Y'X]gd'Um'  
5i hca UhW'mhUbgZfg VY'k YYb'a U]bg'fli h'mh'UbX' [ YbYfUhcf'dck Yf'  
A Ubi U'dfc[ fUa a ]b[ cb'ZcbhidUbY"  
I gYf'Z]YbX'mgYH'i d'UbX'Vi hcb'Unci H'  
F Ya ch'gjhH'  
9j Ybh'c[ ]b[ 'f'k'g'ck ]b[ 'XUH'UbX'ha Y'  
7 cblfc'g' Ghcd# YgY'z'A Ubi U'z5i hc'zHYgh'GhUfzVi hcbg"5b'UXX]hcbU'di g\ Vi hcb'bYi h'c'k'Y'@7 8'X]gd'Um]g  
i gYX'hc'gWc'`hfc' [ \ h'Y'a cXi 'Ygfa YH'f]b[ 'X]gd'Um]

## AJD 132

John Deere  
Mecc Alte  
P 602

9B; -B9  
 9b[ ]bY'gdYYX"  
 C]`dfYggi fy"  
 7cc'UbhH'a dYfUh fy"  
 F i b hja Y"  
 6UH'Yfmj c'hg"  
 7cbZ] i fUV'Y hja ]b[ "  
 ; 9B 9F 5HCF  
 J c'U[ Y ffe@ @B L'  
 7 i ffYbhfe%&@!@ L'  
 : fYe i YbWm  
 A 5-BG  
 J c'U[ Y ffe@ @B L'  
 : fYe i YbWm  
 A Ujb g'fYUXm'  
 A Ujb g'YbUV'YX"  
 ; Yb"GYhYfYUXm'  
 ; Yb"GYhYbUV'YX"

K 5F B-B;  
 7 \Uf[ Y ZU]i fy"  
 6UH'Yfm@ck #][ \j c'U[ Y"  
 : U]`h`ghcd"  
 @ck #][ \ [ YbYfUhcfj c'U[ Y"  
 I bXYf@cj Yf[ YbYfUhcf ZYei YbWm  
 Cj Yf# bXYf gdYYX"  
 @ck c]`dfYggi fy"  
 < ] \ Wc'UbhH'a dYfUh fy"  
 G< I H'8CK BG  
 : U]`h`ghcd"  
 9a Yf[ YbWmghcd"  
 @ck c]`dfYggi fy"  
 < ] \ Wc'UbhH'a dYfUh fy"  
 Cj Yf# bXYf gdYYX"  
 I bXYf@cj Yf[ YbYfUhcf ZYei YbWm  
 I bXYf@cj Yf[ YbYfUhcfj c'U[ Y"  
 C]`dfYggi fy'gYbgcf cdYb"  
 7cc'UbhH'a dYfUh fy'gYbgcf cdYb"  
 9@97 HF -7 5@HF -D  
 ; YbYfUhcfj YfW ffYbh

: 'YI JVY gYbgcf Wb VY Wtbhfc ``YX k ]h h'a dYfUh fyž  
 dfYggi fyŽdYfWbH[ Y fik Ufb]b[ #g i h'ck b#Y'YMF]W'lf]dL  
 @cW'gYH]b[ dUfJa YHfg UbX a cb]hcf]b[ Zca D7 h'c  
 Wtbhfc` a cXi Y'k ]h'1 G6 WbbYMFcb'fba Ul '\*' a h'


9YWJW'GUZYhm#9A 7 Wta dUHV]hm6G 9B \*\$- ) \$  
 9YWJW'Vi gjbYgg'Ye i ja YbH'  
 6G 9B \*%\$!\*& 9A 7 ja a i b]hmgUbXufX"  
 6G 9B \*%\$!\*( 9A 7 Ya ]gg]cb gUbXufX

'6UH'YfmWUf[ Yf]g'a Ubi ZWm fyX k ]h gk ]Wm]b[ !a cXY'UbX'GA 8 H'VWbc'c[ mUbx'ih\Ug\][ \YZWYbWm'6UH'YfmWUf[ Yf  
 a cXY'gfici hdi hJ !=WUfUWYflghWg j YfmWcgY h'c'gei UfY'UbX'ci hdi h]g) ua dYf% ž J Zcf%&j c'hUbX +z\* J Zcf& J  
 #bdi h%, !&\* ( j c'h5 7 " Dfc]bY & \$) \Ug'Z `mc i hdi hg\chWfW ]hdfchW]cb'UbX'ihWb 'VY i gYX'Ug'UW ffYbhgc fW"  
 Dfc]bY %&\$) #(& \$) WUf[ Yf'Ug\][ \YZWYbWm'cb[ Z]Z'ck ZU]i fy fUAYz][ \hk Y][ \hUbX'ck 'YuhfUX]UHYX]b  
 UWfXUbW'k ]h' ]bYUf'UHfbUhj Yg" H'Y WUf[ Yf]g ZH'YX k ]h' U'dfchW]cb X]cXY'UWcggy h'Y ci hdi h'7 cbbYWVWUf[ Y ZU]  
 fY'UmW] VYH YYb dcg]hj Y'ci hdi hUbX'7: ci hdi h' H'YmUFY Ye i jddYX k ]h' F: =ZHYf'hc fYXi W'Y'YMF]W'bc]gY fUX]UHYX  
 Zca h'YXYj ]W"; Uj Ub]W'm]gc'UH'X]bdi hUbX'ci hdi h]m]W'm( \_Zcf\][ \fy]UV]hm'

# AJD 132

John Deere  
Mecc Alte  
P 602

5? ) \$!



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam material
- 7 Lifting Points

\$\$\$\$%# # " "

fl "t	"	1217
fl "t	"	3400
fl "t	"	1938
	L	380